

Amendments to the Claims

Claims 1, 4-17, 19-21, 23, and 41-53 are pending in this application. Claims 1, 4-16, and 41-53 have been allowed by the Examiner. Claims 17, 19-21, and 23 stand rejected. No Claims are amended in this Response.

Listing of the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (Previously Presented) A catheter device for delivering an electric pulse to a nerve, comprising
a distal region and
a proximal region,
said distal region having at least one expandable electrode and an electrode expanding means, the at least one expandable electrode being longitudinally arranged,
said proximal region having an electrical connecting means for applying an electric pulse to the expandable electrode in order to achieve controlled intermittent asystole.

Claims 2-3 (Cancelled).

4. (Previously Presented) The catheter device of Claim 1, wherein a portion of the expandable electrode is spirally arranged.

5. (Original) The catheter device of Claim 1, having from 1-24 electrodes.

6. (Original) The catheter device of Claim 1, wherein the expandable electrode is an electrode selected from the group consisting of a wire, a basket, a strip, or a plurality of electrodes dispersed on an electrically non-conducting material.

7. (Previously Presented) The catheter device of Claim 1, wherein the expandable electrode comprises a proximal region, a central region and a distal region, and wherein when the electrode is expanded the proximal region and the central region form a first angle between about 1 and 180 degrees, and the central region and the distal region form a second angle of between about 1 and 180 degrees.

8. (Previously Presented) The catheter device of Claim 7, wherein the first and second angles are between about 90 and 180 degrees.

9. (Original) The catheter device of Claim 7, wherein the expandable electrode, when expanded, has a total length of between 1.0 and 15 cm.

10. (Original) The catheter device of Claim 7, wherein the central region is between about 0.1 and 10cm.

11. (Original) The catheter device of Claim 1, wherein the catheter has a lumen, and the electrode expanding means comprises a rod disposed within said lumen, and wherein the rod has a distal end connected to the expandable electrode so that the catheter forms a sheath over the expandable electrode means and the rod.

12. (Original) The catheter device of Claim 1, wherein the electrode expanding means comprises an inflatable balloon.

13. (Original) The catheter device of Claim 1, wherein the electrode expanding means comprises a metallic shape memory means.

14. (Original) The catheter device of Claim 1, wherein the expandable electrode means, when expanded is at least one arcuate electrode.

15. (Original) The catheter device of Claim 1, wherein the proximal end of the catheter has a handle and a hub, wherein the hub is connected to the means of applying an electric pulse to the expandable electrode.

16. (Original) The catheter device of Claim 12, wherein the balloon has at least one ridge thereon to allow the passage of fluid therearound, and wherein at least one expandable electrode is attached to said ridge.

17. (Previously Presented) A clip electrode for attachment to a nerve, comprising a pair of electrically non-conducting members secured together in a pivotal relation so as to form confronting rigid jaws,

wherein at least one electrode is attached to an electrically non-conducting member, and having a means for connection to an electric pulse means and the electrode being shaped to avoid causing crush trauma to the nerve, the electrode including a concave portion that receives the nerve and at least one flat portion.

Claim 18 (Cancelled).

19. (Original) The clip electrode of Claim 17, wherein the electrode is compressible so that the electrode contacts a nerve to avoid causing crush trauma.

20. (Original) The clip electrode of Claim 17, wherein the electrode is wire mesh or wire wool.

21. (Previously Presented) A cuff device for contacting an electrode with a nerve, comprising

an electrode that conforms to a portion of a nerve to avoid causing crush trauma, the electrode being positioned in a longitudinal traversing channel of an electrically non-conductive member, and

having a means for connection to an electric pulse.

Claim 22 (Cancelled).

23. (Original) The cuff device of Claim 21, wherein the electrode is a wire mesh or wire wool.

Claims 24-40 (Cancelled).

41. (Previously Presented) A nasogastric tube electrode comprising
a nasogastric tube having an inflatable means of expanding an electrode and
an electrode attached to said inflatable means so that when the inflatable means is inflated, the electrode contracts the inner surface of the trachea, and
a means of supplying an electric pulse to said electrode in order to achieve controlled intermittent asystole.

42. (Original) The nasogastric tube electrode of Claim 41, wherein the inflatable means of expanding the electrode is a collar or balloon.

43. (Previously Presented) The nasogastric tube electrode of Claim 41, wherein the inflatable means has a ridge and an electrode on said ridge so that the electrode contacts the tracheal wall when the inflatable means is inflated.

44. (Original) The nasogastric tube electrode of Claim 41, further comprising a plurality of electrodes.

45. (Previously Presented) A nasogastric tube electrode device comprising
a nasogastric tube having at least one expandable electrode thereon, so that the electrode contacts a wall of the esophagus when the electrode is expanded, and

wherein the electrode has a means for connection to an electrical pulsing means in order to achieve controlled intermittent asystole.

46 (Original) The nasogastric tube electrode of Claim 45, further comprising a plurality of electrodes.

47. (Original) The nasogastric tube electrode of Claim 45, wherein the expandable electrode is longitudinally arranged.

48. (Original) The nasogastric tube electrode of Claim 45, wherein the expandable electrode is circumferentially arranged.

49. (Original) The nasogastric tube electrode of Claim 45, wherein the expandable electrode is spirally arranged.

50. (Original) The nasogastric tube electrode of Claim 45, having from 1- 24 electrodes.

51. (Original) The nasogastric tube electrode of Claim 45, wherein the expandable electrode is an electrode selected from the group consisting of a wire, a basket, a strip, or a plurality of electrodes dispersed on an electrically non-conducting material.

52. (Previously Presented) The nasogastric tube electrode of Claim 45, wherein the expandable electrode comprises a proximal region, a central region and a distal region, and wherein when the electrode is expanded the proximal region and the central region form a first angle between about 1 and 180 degrees, and the central region and the distal region form a second angle of between about 1 and 180 degrees.

53. (Previously Presented) The nasogastric tube electrode of Claim 45, wherein the first and second angles are between about 90 and 180 degrees.

Claims 54-60 (Cancelled).